



This article appeared in a journal published by Elsevier. The attached copy is furnished to the author for internal non-commercial research and education use, including for instruction at the authors institution and sharing with colleagues.

Other uses, including reproduction and distribution, or selling or licensing copies, or posting to personal, institutional or third party websites are prohibited.

In most cases authors are permitted to post their version of the article (e.g. in Word or Tex form) to their personal website or institutional repository. Authors requiring further information regarding Elsevier's archiving and manuscript policies are encouraged to visit:

<http://www.elsevier.com/copyright>



Contents lists available at ScienceDirect

§ B

journal homepage: www.elsevier.com/locate/neubiorev




E t

F st I t t

5

(C , J 2009)

s t st tt t st s ts
C ,t t tt s t t t C
t s t t t t t .
I t D st (16 11t t ,B.C) C ,t st C s
t t s s s t t s t t t s
t t s s s t t s t t t s
s " (s /s 1/). s t s st t st t C s
ts s st t t t t t t
t s s s F st s s s t t t ts
s s A t , t st , s t t t , s
t , t st s s .I t t t t t s t t ts
", t st " s t t t t t t t t
t st ss st t (s / 4/). D st t t
t t s s " C s ts t t t t
t t s s . t t t t t t t t
t " t t s t t t t t t t t
s , s t . , t t t t t t t t
t t " (s /t 1/). F , s s t
ss st t t t s s t st ts s t
t t t t t s t t t t t s
s , t t t s " ts t t t t t t s
s , C s t t t t s t t t t t
t t / t s t t s t .



L L*
Peking University, Department of Psychology, 5 Yiheyuan Road,
Beijing 100871, China

J J
Department of Physiology and Pharmacology, Hotchkiss Brain
Institute, Faculty of Medicine, University of Calgary, 3330 Hospital
Drive NW, Calgary, Alberta T2N 4N1, Canada

*C s t . . : +86 10 6257 6804;
: +86 10 6276 1081

E-mail address: @ . .
(L L)
@ . .

29 J 2009